

# Centre Pivot Roof Window with bottom handle (CPBH)

DoP Ref:  
K10/14351/09

EN 14351-1

Year of affixation:  
09**1. Product Type:**

Keylite Budget Roof Window

**2. Unique Identification Code(s):**

ID card

**3. Intended use of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:**

Domestic and commercial locations without any reaction to fire or fire resisting requirements.

**4. Manufacturer:**KEYLITE ROOF WINDOWS  
Derryloran Industrial Est.  
Sandholes Road, Cookstown  
Co. Tyrone BT80 9LU**5. System of System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of the CPR:**

System 3

**6. Harmonised Standard:**

EN 14351-1+A1:2010

**7. Notified Body:**Centre of Building Construction Engineering -  
Notified body  
1390 – CSI, a.s. Praha , workplace Zlín,  
K Cihelně 304, 764 32 Zlín – Louky

# Centre Pivot Roof Window with bottom handle (CPBH)

DoP Ref:  
K10/14351/09

EN 14351-1

Year of affixation:  
09

## 8. Declared Performance:

Essential Characteristic	Performance	Harmonised Technical Specification
Resistance to wind load	Class C4	EN 14351-1+A1:2010
Resistance to snow load	4H-20, Ar-4TM	
Water tightness	Class 9A	
Impact resistance (external impact)	Class 1 – 200mm	
Load-bearing capacity of safety devices	Pass	
Acoustic performance	28 (-1;-2) dB	EN 14351-1+A1:2010
Thermal transmittance	1,5 W/(m <sup>2</sup> K)	
Radiation properties – solar factor	0.61	
Radiation properties – Light transmittance	0.77	
Air permeability	Class 2	

## 9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

**Date:**

01.08.2013

**Signed:**

**Andy Neal**

(Operations Director)